

DEVELOPING TIMES CHART

Updated 08.25.2024

Palm Panchromatic 100				
Developer	100 ISO	200 ISO	400 ISO	800 ISO
HC-110(B)	5	9	14	N/A
RODINAL (1:50)	9	13	20	N/A
DDX(1:4)	8	11	14	N/A
D-76(stock)	7	10	18	N/A
Palm Panchromatic 400				
Developer	400 ISO	800 ISO	1600 ISO	3200 ISO
HC-110(B)	6.5	10	15	23
RODINAL (1:50)	12	20	30	60
DDX(1:4)	9	12	15	20
D-76(stock)	8	11	20	N/A
*All times at a process temp. of 20C with standard agitation. *To use D-76 1:1 - Add 3 min to dev time as a starting point. *Recommended times are reference points, adjust as needed. HC is our preferred developer & therefore, more thoroughly tested.				